

From: Blase Etzel/DC/USEPA/US
Sent: 2/7/2012 3:00:30 PM
To: Ex. 4 - CBI @lmco.com
CC: Colleen Walling/ESC/R3/USEPA/US; Helen Britz/DC/USEPA/US@EPA
Subject: Re: Fw: ESAT validation of files for DIMOCK

Hi Ex. 4 - CBI

Before we modify the contract, could you please indicate whether Lockheed Martin worked any overtime over the weekend?

Regards,

Blase

Mr. Blase Etzel
Contract Specialist
US EPA, Office of Acquisition Management
Superfund/RCRA Regional Procurement Operations Division
Laboratory Analysis Service Center
Mail Code 3805R
Phone (202) 250-8607
Fax (202) 565-2557

From: Ex. 4 - CBI @lmco.com>
To: Helen Britz/DC/USEPA/US@EPA
Cc: Colleen Walling/ESC/R3/USEPA/US, Blase Etzel/DC/USEPA/US@EPA, Ed Messer/ESC/R3/USEPA/US@EPA, Keith Upah/DC/USEPA/US@EPA, Ross Miller/DC/USEPA/US@EPA
Date: 02/03/2012 05:08 PM
Subject: Re: Fw: ESAT validation of files for DIMOCK

Thank you for the email and I apologize for the oversight. I intended to copy you and will make sure that I do so in the future. We do not expect that the weekend work would exceed \$2,500.

Ex. 4 - CBI

Contracts Manager
Lockheed Martin Corporation - IS&GS - Civil

Ex. 4 - CBI

-----Original Message-----

From: Helen Britz [mailto:Britz.Helen@epamail.epa.gov]
Sent: Friday, February 03, 2012 4:40 PM
To: Ex. 4 - CBI
Cc: Colleen Walling; Blase Etzel; Ed Messer; Keith Upah; Ross Miller
Subject: EXTERNAL: Re: Fw: ESAT validation of files for DIMOCK

Hi Ex. 4 - CBI

Apologies for the delay, I was not copied on your request. A contract modification is required in order to formally authorize the use of over time. Since I will not be able to issue the modification until Monday

morning, this email serves as written CO approval of the use of overtime from February 4-5, 2012 (not to exceed 26 hours). I would also appreciate receiving a dollar estimate to accompany the hour estimate for laboratory support and data validation support. Thank you!

To be modified:

52.222-2 Payment for Overtime Premiums.

Payment for Overtime Premiums (July 1990)

(a) The use of overtime is authorized under this contract if the overtime premium does not exceed * _____ or the overtime premium is paid for work—

- (1) Necessary to cope with emergencies such as those resulting from accidents, natural disasters, breakdowns of production equipment, or occasional production bottlenecks of a sporadic nature;
- (2) By indirect-labor employees such as those performing duties in connection with administration, protection, transportation, maintenance, standby plant protection, operation of utilities, or accounting;
- (3) To perform tests, industrial processes, laboratory procedures, loading or unloading of transportation conveyances, and operations in flight or afloat that are continuous in nature and cannot reasonably be interrupted or completed otherwise; or
- (4) That will result in lower overall costs to the Government.

(b) Any request for estimated overtime premiums that exceeds the amount specified above shall include all estimated overtime for contract completion and shall—

- (1) Identify the work unit; e.g., department or section in which the requested overtime will be used, together with present workload, staffing, and other data of the affected unit sufficient to permit the Contracting Officer to evaluate the necessity for the overtime;
- (2) Demonstrate the effect that denial of the request will have on the contract delivery or performance schedule;
- (3) Identify the extent to which approval of overtime would affect the performance or payments in connection with other Government contracts, together with identification of each affected contract; and
- (4) Provide reasons why the required work cannot be performed by using multishift operations or by employing additional personnel.

Very Respectfully,

Helen Britz
Contracting Officer/Team Leader
US EPA, Office of Acquisition Management
Superfund/RCRA Regional Procurement Operations Division
Laboratory Analysis Service Center
Phone: (202) 564-9633
Mail Code: 3805R

P Please consider the environment before printing this e-mail.

From: Blase Etzel/DC/USEPA/US
To: Helen Britz/DC/USEPA/US@EPA
Date: 02/03/2012 04:17 PM
Subject: Fw: ESAT validation of files for DIMOCK

----- Forwarded by Blase Etzel/DC/USEPA/US on 02/03/2012 04:17 PM -----

From: **Ex. 4 - CBI** @lmco.com>
To: Colleen Walling/ESC/R3/USEPA/US, Blase
Etzel/DC/USEPA/US@EPA, Ed Messer/ESC/R3/USEPA/US@EPA, Keith
Upah/DC/USEPA/US@EPA, Ross Miller/DC/USEPA/US@EPA
Cc: **Ex. 4 - CBI**
Date: 02/03/2012 03:33 PM
Subject: RE: Fw: ESAT validation of files for DIMOCK

Please accept this email as Lockheed Martin's request to work additional hours over the weekend to support the high priority and fast turn-around time data that are in house for both laboratory and data validation task areas. We estimate that it will require 10 hours for laboratory support and 16 hours for data validation support.

Please advise as to your approval. If you need additional information we'll be happy to provide that as well.

Thank you,

Ex. 4 - CBI

Contracts Manager
Lockheed Martin Corporation - IS&GS - Civil

Ex. 4 - CBI